

INFORMATION DISCLOSURE CITATION <i>(Use several sheets if necessary)</i>	Docket Number (Optional) TWI-11220	Application Number NEW 10/691,132
	Applicant(s) Jon Opsal et al.	
	Filing Date HEREWITH	Group Art Unit Unknown 2877

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE
	*AA	4,634,290	01/06/1987	Rosencwaig et al.	374	5	11/14/1985
	*AB	4,636,088	01/13/1987	Rosencwaig et al.	347	5	05/21/1984
	*AC	4,854,710	08/08/1989	Opsal et al.	356	432	07/23/1987
	*AD	4,999,014	03/12/1991	Gold et al.	356	382	05/04/1989
	*AE	5,074,669	12/24/1991	Opsal	356	445	12/12/1989
	*AF	5,181,080	01/19/1993	Fanton et al.	356	381	12/23/1991
	*AG	5,206,710	04/27/1993	Geiler et al.	356	432	09/25/1991
	*AH	5,536,936	07/16/1996	Drevillon et al.	250	226	01/11/1995
	*AI	5,798,837	08/25/1998	Aspnes et al.	356	369	07/11/1997
	*AJ	5,900,939	05/04/1999	Aspnes et al.	356	243.1	06/17/1998
	*AK	5,953,446	09/14/1999	Opsal et al.	382	141	10/09/1998
	*AL	5,973,787	10/26/1999	Aspnes et al.	356	369	05/12/1998
	*AM	5,978,074	11/02/1999	Opsal et al.	356	72	07/03/1997
	*AN	6,008,906	12/28/1999	Maris	250	226	09/05/1997
	*AO	6,128,084	10/03/2000	Nanbu et al.	356	369	06/10/1998
	*AP	6,191,846	02/20/2001	Opsal et al.	356	364	11/01/1999
	*AQ	6,268,916	07/31/2001	Lee et al.	356	369	05/11/1999
	*AR	6,278,519	08/21/2001	Rosencwaig et al.	250	225	01/29/1998
	*AS	6,535,285	08/18/2003	Opsal et al.	356	369	02/08/2000


FOREIGN PATENT DOCUMENTS

REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
*AT	VO 99/10747	01/14/1999	PCT	G01N	21/17		
*AU	VO 00/68656	11/16/2000	PCT	G01J	4/00		

OTHER DOCUMENTS

(Including Author, Title, Date, Pertinent Pages, Etc.)

*AV	M. Fried et al., "Nondestructive determination of damage depth profiles in ion-implanted semiconductors by spectroscopic ellipsometry using different optical models," <i>J. Appl. Phys.</i> , Vol. 71, No. 6, 15 March 1992, pp. 2835-2843.
*AW	A.P. Webb et al., "Refractive index profiles induced by ion implantation into silica," <i>J. Phys. D: Appl. Phys.</i> , Vol. 9, 1976, pp. 1343-1354.
*AX	J.R. Adams, "Complex refractive index and phosphorus concentration profiles in P31 ion implanted silicon by ellipsometry and auger electron spectroscopy," <i>Surface Science</i> , Vol. 56, 1976, pp. 307-311.
*AY	J.R. Adams et al., "Determination of the complex refractive index profiles in P31 ion implanted silicon by ellipsometry," <i>Surface Science</i> , Vol. 49, 1975, pp. 441-458.
*AZ	J.P. Cortot et al., "Analysis of arsenic and phosphorus ion implanted silicon by spectroscopic ellipsometry," <i>Appl. Phys. Lett.</i> , Vol. 41, No. 1, 1 July 1982, pp. 93-95.
*BA	X-F. He et al., "Disorder effects on optical spectra and band structure of Si induced by ion implantation," <i>J. Appl. Phys.</i> , Vol. 66, No. 11, 1 December 1989, pp. 5261-5266.
*BB	T. Yamaguchi et al., "Empirical dielectric function of amorphous materials for spectroscopic ellipsometry," <i>J. Appl. Phys.</i> , Vol. 77, No. 9, 1 May 1995, pp. 4673-4676.
*BC	Kravetsky, Kulyuk et al., "Reflected optical second harmonic generation as a method for characterization of ion-implanted, thermal annealed silicon surfaces and silicon-insulator interfaces," <i>Ion Implanted Technology</i> , Vol. 94, 1995, pp. 656-659.

Examiner 	Date Considered 29 SEPT. 2004
Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Docket Number (Optional) TWI-11220	Application Number NEW 10/691,132
	Applicant(s) Jon Opsal et al.	
	Filing Date HEREWITH	Group Art Unit Unknown 2877

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE


FOREIGN PATENT DOCUMENTS

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO

OTHER DOCUMENTS

(Including Author, Title, Date, Pertinent Pages, Etc.)

*BD	D.E. Aspnes et al., "Dielectric properties of heavily doped crystalline and amorphous silicon from 1.5 to 6.0 eV," <i>Physical Review B</i> , Vol. 29, No. 2, 15 January 1984, pp. 768-779.
*BE	Y. Akeda et al., "Large third-order optical nonlinearity of tin microcrystallite-doped silica glass formed by ion implantation," <i>Appl. Phys. Lett.</i> , Vol. 63, No. 25, 20 December 1993, pp. 3420-3422.
*BF	J.W.C. England et al., "The dynamics of amorphous-to-crystalline interface evolution in ion-implanted polycrystalline silicon," <i>J. Appl. Phys.</i> , Vol. 73, No. 9, 1 May 1993, pp. 4332-4343.
*BG	E. Chason et al., "In situ energy dispersive x-ray reflectivity measurements of H ion bombardment on SiO ₂ /Si and Si," <i>Appl. Phys. Lett.</i> , Vol. 60, No. 19, 11 May 1992, pp. 2353-2355.
*BH	Y.Z. Hu et al., "A Comparison of Argon and Hydrogen Ion Etching and Damage in the Si-SiO ₂ System," <i>J. Electrochem. Soc.</i> , Vol. 139, No. 7, July 1992, pp. 2022-2026.
*BI	R.E. Hummel et al., "Ion Implantation Damage and Annealing of Silicon as Characterized by Differential Reflectometry," <i>J. Electrochem. Soc.</i> , Vol. 137, No. 11, November 1990, pp. 3583-3588.
*BJ	N.V. Nguyen et al., "Spectroscopic ellipsometry studies of crystalline silicon implanted with carbon ions," <i>J. Appl. Phys.</i> , Vol. 67, No. 8, 15 April 1990, pp. 3555-3559.
*BK	G.F. Feng et al., "Optical properties of ion-implanted GaAs: The observation of finite-size effects in GaAs microcrystals," <i>Physical Review B</i> , Vol. 40, No. 2, 15 July 1989, pp. 1064-1073.
*BL	L. Chen et al., "Transient photomodulation spectroscopy of amorphous hydrogenated silicon," <i>Physical Review B</i> , Vol. 39, No. 8, 15 March 1989, pp. 5121-5127.
*BM	A.H.M. Holtzlag et al., "Noble-gas ion bombardment on clean silicon surfaces," <i>Physical Review B</i> , Vol. 38, No. 15, 15 November 1988, pp. 10556-10570.
*BN	R.E. Hummel et al., "Optical investigations of ion implant damage in silicon," <i>J. Appl. Phys.</i> , Vol. 63, No. 8, 15 April 1988, pp. 2591-2594.
*BO	J.L. Buckner et al., "Ellipsometric and Rutherford backscattering characterization of low-energy hydrogen-, helium-, neon-, and argon-bombarded silicon," <i>J. Appl. Phys.</i> , Vol. 63, No. 11, 1 June 1988, pp. 5288-5294.
*BP	J. Narayan et al., "Formation and nondestructive characterization of ion implanted silicon-on-insulator layers," <i>Appl. Phys. Lett.</i> , Vol. 51, No. 5, 3 August 1987, pp. 343-345.
*BQ	P.J. McMarr et al., "Spectroscopic ellipsometry: A new tool for nondestructive depth profiling and characterization of interfaces," <i>J. Appl. Phys.</i> , Vol. 59, No. 3, 1 February 1986, pp. 694-701.
*BR	X.C. Mu et al., "Ar ion beam and CCl ₄ reactive ion etching: A comparison of etching damage and of damage passivation by hydrogen," <i>J. Appl. Phys.</i> , Vol. 58, No. 11, 1 December 1985, pp. 4282-4291.
*BS	R.W. Collins et al., "A ellipsometry study of a hydrogenated amorphous silicon based n-i structure," <i>J. Appl. Phys.</i> , Vol. 57, No. 10, 15 May 1985, pp. 4566-4571.
*BT	K. Vedam et al., "Nondestructive depth profiling by spectroscopic ellipsometry," <i>Appl. Phys. Lett.</i> , Vol. 47, No. 4, 15 August 1985, pp. 339-341.

Examiner 	Date Considered 29 SEPT. 2004
Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)	Docket Number (Optional) TWI-11220	Application Number NEW 10/691,132
	Applicant(s) Jon Opsal et al.	
	Filing Date HEREWITH	Group Art Unit Unknown 2877

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE


FOREIGN PATENT DOCUMENTS

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO

OTHER DOCUMENTS

(Including Author, Title, Date, Pertinent Pages, Etc.)

*BU	M. Erman et al., "Analysis of ion-implanted GaAs by Spectroscopic ellipsometry," <i>Surface Science</i> , Vol. 135, 1983, pp. 353-373.
*BV	J.B. Theeten et al., "Depth profiling and interface analysis using spectroscopic ellipsometry," <i>J. Vac. Sci. Technol.</i> , Vol. 20, No. 3, March 1982, pp. 471-475.
*BW	J.T. Lue et al., "The wavelength modulation spectrum of ion-implanted silicon," <i>J. Appl. Phys.</i> , Vol. 53, No. 8, August 1982, pp. 5617-5620.
*BX	D.E. Aspnes et al., "Direct Determination of States of Excitations from Optical Measurements on Ion-Implanted GaAs," <i>Physical Review Letters</i> , Vol. 48, No. 26, 28 June 1982, pp. 1863-1866.
*BY	Q. Kim & Y.S. Park, "Ellipsometric investigation of ion-implanted GaAs," <i>Surface Science</i> , Vol. 96, 1980, pp. 307-318.
*BZ	Q. Kim et al., "Characterization of ion-implanted GaAs by ellipsometry," <i>J. Appl. Phys.</i> , Vol. 51, No. 4, April 1980, pp. 2024-2029.
*CA	D.E. Aspnes et al., "An investigation of ion-bombarded and annealed (111) surfaces of Ge by spectroscopic ellipsometry," <i>Surface Science</i> , Vol. 96, 1980, pp. 294-306.
*CB	V.M. Gusev et al., "Interference method for measuring the effective thickness of ion-implanted layers," <i>Soviet Physics - Semiconductors</i> , Vol. 5, No. 5, November 1971, pp. 737-739.
*CC	V.V. Galkin et al., "Implantation of 10-80 keV lithium ions in diamond," <i>Soviet Physics - Semiconductors</i> , Vol. 4, No. 5, November 1970, pp. 709-716.
*CD	V.V. Galkin et al., "Ion-bombardment induced damage in diamond layers," <i>Soviet Physics - Solid State</i> , Vol. 10, No. 3, September 1968, pp. 706-708.
*CE	J.M. Leng et al., "Simultaneous measurement of six layers in a silicon on insulator film stack using spectrophotometry and beam profile reflectometry," <i>J. Appl. Phys.</i> , Vol. 81, No. 8, 15 April 1997, pp. 3570-3578.
*CF	U Zammit et al., "Optical absorption in ion implanted Si films," <i>Nuclear Instruments and Methods in Physics Research B</i> , Vol. 96, 1995, pp. 241-244.
*CG	A. Rosencwaig et al., "Thermal wave characterization of semiconductors and superconductors," <i>Review of Progress in Quantitative Nondestructive Evaluation</i> , Vol 8B, 1989, pp. 1195-1201.
*CH	J. Opsal, "Modulated interference effects and thermal wave monitoring of high-dose ion implantation in semiconductors," <i>Review of Progress in Quantitative Nondestructive Evaluation</i> , Vol 8B, 1989, pp. 1241-1245.
*CI	J. Bailey et al., "Subsurface defects in silicon investigated by modulated optical reflectance measurements," <i>Review of Progress in Quantitative Nondestructive Evaluation</i> , Vol 8B, 1989, pp. 1263-1271.
*CJ	S. Lynch et al., "Non-destructive depth profiling of silicon ion implantation induced damage in silicon (100) substrates," <i>Thin Solid Films</i> , Vol. 233, 1993, pp. 199-202.
*CK	I. Kasko et al., "Characterization of thin TiSi ₂ films by spectroscopic ellipsometry and thermal wave analysis," <i>Microelectronic Engineering</i> , Vol. 37, No. 38, 1997, pp. 455-460.

Examiner 	Date Considered 29 SEPT. 2004
Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	